



- 2 1330 76th Ave SW Cedar Rapids, Iowa
- 319.363.8281
- NewLeader.com

NL7

WHAT IT DOES

Productivity

- 120' spread pattern
- 33% more efficient high output design
- Uniformity of spread pattern
- 16-section swath width
- Boundary and half-width spreading

Ease of Use

- Built-in spread pattern wizard
- Ability to pattern test and set the machine, using only 3 pans
- Ease of calibration
- Conveyor calibration is not required

Versatility

- Dual bins for two product application
- Low sensitivity to driving centers
- Variable rate width spreading from 120', 90', 80' and 70'

Ease of Maintenance

- Zero grease points
- New positive drive belt requiring minimal maintenance
- Tool-free components
- Easy to replace SS fin overlays


NL720


With dual bins and stacked conveyors, the NL720 represents a shift in the agriculture industry.

Combining unprecedented design with ease-of-use, the NL720 can help you achieve unrivaled productivity. Crop damage, unnecessary passes, overlap, and soil compaction will become a thing of the past for you and your business.

TECHNICAL DATA SHEET

12' Unit





NL720 Dual Bin Dual-Bin Capacity Cu Ft (Cu M) 12' (3.66m) - Bin 1 183 (5.2) 12' (3.66m) - Bin 2 120 (3.4) 12' (3.66m) - Total 303 (8.6) 14' (4.26m) - Bin 1 218 (6.2) 14' (4.26m) - Bin 2 145 (4.1) 14' (4.26m) - Total 363 (10.3) Est. Weight Lbs (kg) 12' (3.66m) 6,200 (2,812) 14' (3.66m) 6,800 (3,084)

14' Unit

